SIOUX TOOLS SIGNATURE SERIES PRODUCT BROCHURE | SPECIALTY







Edging Out The Competition...



Light weight aluminum reinforced nylon housing



Ergonomic, composite handle with textured soft grip



1 HP motor



Adjustable base





Contoured throttle lever with lock

nati

A Router With You In MInd

Sioux has produced a router program that truly focuses on operator comfort and productivity. The Signature Series Router Line features a heavy-duty three piece double tapered collet and a 1 HP motor that delivers both speed and accuracy with a free speed range from 18,000 to 25,000 rpm. The contoured throttle lever with lock gives the operator simple, one-hand operation while the ergonomic, composite handle with textured soft grip makes handling these tools truly comfortable, Add a light weight housing and you have a tool perfectly designed for all of your woodworking, fiberglass, plastic and boat manufacturing needs.

The Signature Series



Inspired by the operator, designed by Sioux Tools.Since 1914, Sioux Tools has been committed to bringing productive solutions to the pneumatic power tool industry.

Signature Series is an innovative pneumatic power tool program created through the implementation of next generation ergonomics, productivity enhanced features, value and accuracy.

Through industry research and operator input, we have engineered a program that truly delivers tools for the way you work!




Routers (1 HP)

| Model Number | Free Speed | Weight | | Length | | Air Consumption | | Sound Level | 0-11-1-0: | Fukaust |
|-------------------------|---------------------|--------|------|--------|-----|-----------------|------|-------------|-------------|------------|
| | rpm | lb | kg | In. | mm | scfm | l/s | dB(A) | Collet Size | Exhaust |
| Template Nose | | | | | | | | | | |
| SRT10S25N | 25,000 | 2.10 | 0.95 | 9.00 | 230 | 30 | 14.2 | 77.7 | 1/4" | Front/Side |
| SRT10S25M6N | 25,000 | 2.10 | 0.95 | 9.00 | 230 | 30 | 14.2 | 77.7 | 6mm | Front/Side |
| SRT10S18N | 18,000 | 2.10 | 0.95 | 9.00 | 230 | 30 | 14.2 | 77.7 | 1/4" | Front/Side |
| SRT10S18M6N | 18,000 | 2.10 | 0.95 | 9.00 | 230 | 30 | 14.2 | 77.7 | 6mm | Front/Side |
| *Template Guides Must E | Be Ordered Separate | ly | | | | | | | | |
| 3" Base | | | | | | | | | | |
| SRT10S25B | 25,000 | 2.10 | 0.95 | 9.00 | 230 | 30 | 14.2 | 77.7 | 1/4" | Front/Side |
| SRT10S25M6B | 25,000 | 2.10 | 0.95 | 9.00 | 230 | 30 | 14.2 | 77.7 | 6mm | Front/Side |
| SRT10S18B | 18,000 | 2.10 | 0.95 | 9.00 | 230 | 30 | 14.2 | 77.7 | 1/4" | Front/Side |
| SRT10S18M6B | 18,000 | 2.10 | 0.95 | 9.00 | 230 | 30 | 14.2 | 77.7 | 6mm | Front/Side |
| SRT10S25BB | 25,000 | 2.55 | 1.15 | 8.25 | 210 | 30 | 14.2 | 77.7 | 1/4" | Front/Side |
| SRT10S18BB | 18,000 | 2.55 | 1.15 | 8.25 | 210 | 30 | 14.2 | 77.7 | 1/4" | Front/Side |
| Laminate Trimmer | | | | | | | | | | |
| SRT10S25LT | 25,000 | 2.85 | 1.30 | 9.25 | 235 | 30 | 14.2 | 77.7 | 1/4" | Front/Side |
| SRT10S18LT | 18,000 | 2.85 | 1.30 | 9.25 | 235 | 30 | 14.2 | 77.7 | 1/4" | Front/Side |

*Template Guide Chart

| | Dimensions In Inches | | | | | | | |
|-------------|----------------------|-------------------|------------------|-----------------|--|--|--|--|
| Part Number | A Pilot O.D. | B Pilot Length | C Flange O.D. | D Pilot I.D. | | | | |
| 68613-12 | 3/8 | 1/4 | 3/4 | 9/32 | | | | |
| 68613-14 | 3/8 | 3/8 | 3/4 | 9/32 | | | | |
| 68613-16 | 3/8 | 1/2 | 3/4 | 9/32 | | | | |
| 68613-22 | 3/8 | 1/8 | 1-1/2 | 9/32 | | | | |
| 68613-24 | 3/8 | 1/4 | 1-1/2 | 9/32 | | | | |
| 68613-26 | 3/8 | 3/8 | 1-1/2 | 9/32 | | | | |
| 68613-40 | 7/16 | 1/4 | 3/4 | 21/64 | | | | |
| 68613-42 | 7/16 | 3/8 | 3/4 | 21/64 | | | | |
| 68613-44 | 7/16 | 1/2 | 1-1/2 | 21/64 | | | | |
| 68613-48 | 7/16 | 1/4 | 1-1/2 | 21/64 | | | | |
| 68613-50 | 7/16 | 3/8 | 1-1/2 | 21/64 | | | | |
| 68613-52 | 7/16 | 1/2 | 1-1/2 | 21/64 | | | | |
| 68613-62 | 1/2 | 1/4 | 1-1/2 | 11/32 | | | | |
| 68613-64 | 1/2 | 3/8 | 1-1/2 | 11/32 | | | | |
| 68613-66 | 1/2 | 1/2 | 1-1/2 | 11/32 | | | | |
| 68613-72 | 1/2 | 1/2 | 2-1/2 | 11/32 | | | | |



SPECIALTY | SIOUX TOOLS SIGNATURE SERIES PRODUCT BROCHURE



siouxtools.com



250 Snap-on Drive P.O. Box 1596 Murphy, North Carolina USA 28906 PH: 828.835.9765 FAX: 828.835.9685 TOLL FREE: 866.259.7291 TOLL FREE FAX: 800.722.7236

Benelux Tel.: (N) 31 (0) 20 568 26 63 (B) 32 (0) 14 23 19 67 Fax: (N) 31 (0) 20 568 26 60 (B) 31 (0) 14 23 26 27 e-mail: snap@snap-on.nl

Latin America Tel.: 305-271-0944 Fax: 305-271-7152 e-mail: latinamerica.caribbean@snapon.com

Germany Tel.: 49 2104 9509-0 Fax: 49 2104 9509-99 e-mail: snapon.industrial@snapon.com



Italy Tel.: 00 39 02 66 04 53 70 Fax:00 39 02 61 29 78 15 e-mail: indus.italia@snapon.com

United Kingdom Tel.: 44 (0) 1536-413904 Fax:44 (0) 1536-413874 e-mail: industrialuk@snapon.com

Asia Tel.: 65-6451-5570 Fax: 65-6451-5574 email: esales.sg@snapon.com

Australia Tel.: 61 2 9837 9100 Fax:61 2 9624 2578 e-mail: SOTA.customerservice@snapon.com

Distributed By: